

MODEL OD-8011

Ultra Silent, High Performance, Attractive Design Grille

Description

Ventilating fan should be ceiling or wall mounted and capable of exhausting air quietly and efficiently. The SN80 fan is HVI and Energy Star certified.

It comes with a capacitor start motor which is known for its high efficiency and long lasting reliability. It holds an ETL evaluation and conforms to UL and cUL safety standards.

Housing

Made of rugged 26 GA galvanized steel

Detachable 4 inch polymeric collar which includes a light weight built in back draft damper.

Housing size: 9"x9"x5 3/4"

Motor/Blower

Plug in permanently lubricated motor- Engineered for continuous operation.

Power rating should be 120 volts and 60 Hz

Fan shall be ETL and cETL listed for tub/shower enclosure when used with a GFCI branch circuit.

Motor comes with a built in overload disconnect for safety and longer motor life.

Our Premium series operates at lower RPM's to give you quieter operation.

Grille

The grille is low profile that has elegance and still able to maintain its simplicity.

Made of a rugged polymeric resin that's known for its long life durability.

Comes with torsion spring clips that helps mount grille evenly.

Typical specification

Ceiling ventilator shall have corrosion resistance galvanized steel.

It shall be ducted to a roof vent or wall cap using 4 inch round pipe.

Blower assembly shall be removable, have a centrifugal type blower wheel and a permanently lubricated motor designed for continuous operation.

Includes an attachable non metallic collar with build in back draft damper.

Air and sound delivery shall meet the HVI certified ratings as per the fan curves attached.



Options

Flourescent light
Humidistat



Reference	QTY.	Remarks	Project:
			Location:
			Architect:
			Engineer:
			Contractor:
			Submitted by:
			Date:

CERTIFICATIONS



MODEL OD-8011

Model Number	OD-8011
Static Pressure in inches w.g.	0.1
Air Volume (CFM)	80
Noise (sones)	1.1
Fan Watts	30W
Duct Diameter	4"
Power Rating (V/Hz)	120/60



ORTECH INDUSTRIES INC.

604-543-6473-TEL-1-888-543-6473

604-599-6201-FAX-1-888-541-6474

33-13290 78 AVE

SURREY, BC V3W OH6

CANADA



www.ortechlighting.com

CERTIFICATIONS

